

JOHNS CREEK PEDIATRICS STANDARD & SEASONAL IMMUNIZATION GUIDE



NEWBORN

HEP B
(If not done at hospital)

Beyfortus
See Note!

DTaP **HEP A**

TDAP

2 mo & 4 mo

PEDIARIX **HIB**
PCV **ROTA**

24 mo

HEP A

11 Years

MCV-4
(DOSE #1)

MCV given at 11 & 16 yrs

6 Mo

PEDIARIX **PCV**

Flu
If in season*

4 Years

KINRIX **MMR** **VARIVAX**
(SUB-Q) (SUB-Q)

16 Years

MCV-4 **MEN B**
(DOSE #2) (DOSE #1)

Men B = 2 doses ≥6 mo. apart

12 mo

HIB **PCV**
MMR **VARIVAX**
(SUB-Q) (SUB-Q)

9 Years

HPV-9
(DOSE #1)

HPV = 2 doses ≥6 mo. apart

3 doses if first dose is at 15yrs
[2 mo btw 1st & 2nd dose]
[4 mo btw 2nd & 3rd dose
[1st & 3rd dose min. 6 mo apart]

18-21 Years

TDAP
Booster Eligible

15 mo

! BEYFORTUS: Offered if under 8mo old by Oct. 1st of current RSV season AND mom did not receive in pregnancy. 1 dose 1 season.

★ FIRST TIME FLU VACCINE RECIPIENTS: 6 mo-8 yrs receive 2 doses in same season → Receive 1 dose per flu season.

★ FLU VACCINE PATIENTS ≥9 YEARS: Receive only 1 dose of flu vaccine (even if it is their first time)

